SIVAL

ALUMINIUM SYSTEMS

SV-2200 Plisse

INSECT SCREENS · SV-2200

The SV-2200 Plisse insect screen system is the combination of economy and superior aesthetics.



THE SYSTEM

The SV-2200 Plisse insect screen system is the combination of economy and superior aesthetics.

SV-2200 Plisse is the latest version of SV-2700 Plisse. It achieves the same results in functionality and quality, focusing on the soundless movement, the stability, and the aesthetics of the plisse mesh. The mesh is also offered in two color options. In black color, which is the basic version, and in gray color upon special order. At the same time the operating cords are made of special polyester material that offer ease and durability in use.

The significant advantage is the narrower bottom rail of 22mm width, which is narrower compared to most of the corresponding insect screens. The fabric is also narrower, just 16mm wide, achieving greater aesthetics and discretion. At the same time, the extremely low height of the bottom rail, just 8mm allows almost unimpeded passage.

APPLICATIONS

windows | doors | residential | hospitality

+44 7426 890065 · info@sival.co.uk

Technical data per manufacturer documentation, October 2026. Performance depends on configuration and glazing.

Basic characteristics

- Mesh of fabric made of reinforced polyester material with pleats (plisse type) in two color types:
  - Black color mesh which is the basic version.
  - Gray color mesh upon special order.
- Smooth, quiet movement, with lower guide 22mm wide and 8mm high for almost unimpeded passage.
- Special cords made of polyester material to support the sail and smooth operation.
- Special design for the possibility of bilateral movement, especially useful in cases of overlapping frames.

Technical characteristics

	Maximum dimensions
	Single Sash System 1,80 × 2,50 m
	Double Sash System 3,40 × 2,50 m
	Dual Side Sliding Sash System 1,80 × 2,50 m
	Vertical Sash System 1,40 × 2,50 m
Aluminium Alloy	AlMgSi-0.5 F22 2
Hardness	12 Webster
Minimum Coating Thickness	75μm

Gallery & technical drawings





