SIVAL

ALUMINIUM SYSTEMS

SV-6600 Solar Tiled Roof

SOLAR MOUNTING SYSTEMS · SV-6600

The ideal solution for tiled roofs!



THE SYSTEM

The ideal solution for tiled roofs!

The SV-6600 Solar Tiled Roof is a system of supporting photovoltaic panels on roofs.

APPLICATIONS

- solar farms
- rooftops
- industrial
- car parks

+44 7426 890065 · info@sival.co.uk

Technical data per manufacturer documentation, October 2026. Performance depends on configuration and glazing.

Basic characteristics

- Panel layout capability in Portrait or Landscape.
- Manufactured from 6063-T66 alloy for high endurance.
- Placing on the tile with a dijon or metal hook.
- Apply to all types of tiles (Roman, French etc.).
- Waterproofing at the connection point.
- Mounting length 1 – 1,5m
- The system is scalable for future panels.panels.


Technical characteristics

Aluminum Alloy	6063-T66 & 6060-T66
Hardness	12 & 14 Webster
Minimum Coating Thickness	10 µm, with natural anodization where required


Gallery & technical drawings
















Gallery & technical drawings (continued)














+44 7426 890065 · info@sival.co.uk

Technical data per manufacturer documentation, October 2026. Performance depends on configuration and glazing.

Gallery & technical drawings (continued)









+44 7426 890065 · info@sival.co.uk

Technical data per manufacturer documentation, October 2026. Performance depends on configuration and glazing.