
SIVAL

ALUMINIUM SYSTEMS

SV-880 Screen

INSECT SCREENS · SV-880

The construction simplicity of the SV-880 Screen insect screen system satisfies functional needs for opening screens and roll screens.



THE SYSTEM

The construction simplicity of the SV-880 Screen insect screen system satisfies functional needs for opening screens and roll screens. SV-880 Screen is the combination of modern aesthetics, impeccable functionality, ease of use and perfect application in all aluminum systems. Ideal for replacing old insect screens but also for new installations. Two types of opening typologies are available, single-sash and double-sash, as well as two types of roller screen, with horizontal and vertical movement, for window cases. Especially in the typology of vertical movement, the special brake mechanism ensures smooth and controlled movement while the windshield brush keeps it in place, even against strong wind.

APPLICATIONS

windows | doors | residential | hospitality

Basic characteristics

- Ideal proposal for roller insect screen, with horizontal or vertical movement.
- Windshield brush that keeps the mesh steady event against strong wind.
- Optional brake mechanism for smooth and controlled movement.
- Option for combination with any architectural system.
- Maximum dimensions (horizontal movement): 1500mm x 2500mm
- Maximum dimensions (vertical): 2000mm x 2300mm
- Maximum dimensions for single leaf opening screen: 1100mm x 2400mm
- Maximum dimensions for double leaf opening screen: 2000mm x 2400mm

Technical characteristics

Aluminium alloy	AlMgSi-0.5 F22
Hardness	12 Webster
Minimum coating thickness	75µm

Gallery & technical drawings



+44 7426 890065 · info@sival.co.uk

Technical data per manufacturer documentation, October 2026. Performance depends on configuration and glazing.